# **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

### Supplier's name or trade mark: DC

Supplier's address: Einkauf, Gewerbestraße 10, DE

#### Model identifier: LED48STBASL

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	BA15s		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	Nein
Colour-tuneable light source:	Nein	Envelope:	-
High luminance light source:	Nein		
Anti-glare shield:	Nein	Dimmable:	Only with specific dimmers

#### **Product parameters**

Parameter		Value	Parameter	Value		
General product parameters:						
Energy consump mode (kWh/1000 up to the nearest	) h), rounded	5	Energy efficiency class	F		
Useful luminous indicating if it ref in a sphere (360 cone (120º) or in (90º)	ers to the flux )º), in a wide	550 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700		
On-mode po expressed in W	wer (P <sub>on</sub> ),	4,8	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00		
Networked standl for CLS, express rounded to the se	ed in W and	-	Colour rendering index, rounded to the nearest integer, or the range of CRI- values that can be set	80		
Outer	Height	55	Spectral power	See image		
dimensions	Width	25	distribution in the	in last page		

without separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	Depth	25	range 250 nm to 800 nm, at full-load				
Claim of equivale	ent power <sup>(a)</sup>	-	lf yes, equivalent power (W)	-			
			Chromaticity	0,464			
			coordinates (x and y)	0,411			
Parameters for LED and OLED light sources:							
R9 colour render	ring index value	8	Survival factor	0,90			
the lumen maint	enance factor	0,70					
(a)							

(a)'-' : not applicable;

(b)'-' : not applicable;

